













POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	3/8"G	3/8"G	9	350	400	Hydraulic Oil
2	3/8"G	3/8"G	9	350	400	Hydraulic Oil
3	3/8"G	3/8"G	9	350	400	Hydraulic Oil
4	3/8"G	3/8"G	9	350	400	Hydraulic Oil





POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	M22x1.5	M22x1.5	12	350	400	Hydraulic Oil
2	M22x1.5	M22x1.5	12	350	400	Hydraulic Oil
3	M22x1.5	M22x1.5	12	350	400	Hydraulic Oil
4	M22x1.5	M22x1.5	12	350	400	Hydraulic Oil





POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	1/2"G	1/2"G	12	350	400	Hydraulic Oil
2	1/2"G	1/2"G	12	350	400	Hydraulic Oil
3	1/2"G	1/2"G	12	350	400	Hydraulic Oil
4	1/2"G	1/2"G	12	350	400	Hydraulic Oil












POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	1/2"G	1/2"G	12	350	400	Hydraulic Oil
2	1/2"G	1/2"G	12	350	400	Hydraulic Oil
3	3/8"G	3/8"G	10	350	400	Hydraulic Oil
4	3/8"G	3/8"G	10	350	400	Hydraulic Oil




POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	1/2"G	1/2"G	13	350	400	Hydraulic Oil
2	1/2"G	1/2"G	13	350	400	Hydraulic Oil
3	1/4"G	1/4"G	10	350	400	Hydraulic Oil
4	1/4"G	1/4"G	10	350	400	Hydraulic Oil





POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	1/2"G	1/2"G	12	350	400	Hydraulic Oil
2	1/2"G	1/2"G	12	350	400	Hydraulic Oil
3	3/8"G	3/8"G	10	350	400	Hydraulic Oil
4	3/8"G	3/8"G	10	350	400	Hydraulic Oil




POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	3/4"G	3/4"G	16	350	400	Hydraulic Oil
2	3/4"G	3/4"G	20	350	400	Hydraulic Oil
3	3/8"G	3/8"G	10	350	400	Hydraulic Oil
4	1/2"G	1/2"G	12	350	400	Hydraulic Oil










POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	3/4"G	3/4"G	16	350	400	Hydraulic Oil
2	1/2"G	1/2"G	16	350	400	Hydraulic Oil
3	3/4"G	3/4"G	16	350	400	Hydraulic Oil
4	3/8"G	3/8"G	16	350	400	Hydraulic Oil




POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	3/8"G	3/8"G	12	350	400	Hydraulic Oil
2	1"G	1"G	22	350	400	Hydraulic Oil
3	3/8"G	3/8"G	20 n.2	350	400	Hydraulic Oil
4	1/2"G	1/2"G	12	350	400	Hydraulic Oil





POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	1/2"G	1/2"G	14	350	400	Hydraulic Oil
2	1/2"G	1/2"G	14	350	400	Hydraulic Oil
3	1/2"G	1/2"G	14	350	400	Hydraulic Oil
4	1/2"G	1/2"G	14	350	400	Hydraulic Oil





POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	1" G	1" G	20	350	400	Hydraulic Oil
2	1" G	1" G	24	350	400	Hydraulic Oil
3	3/4" G	3/4" G	20	350	400	Hydraulic Oil
4	3/4" G	3/4" G	20	350	400	Hydraulic Oil



POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	3/8" G	3/8" G	10	350	400	Hydraulic Oil
2	1/2" G	1/2" G	14	350	400	Hydraulic Oil
3	3/4" G	3/4" G	18	350	400	Hydraulic Oil
4	3/4" G	3/4" G	18	350	400	Hydraulic Oil



POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	1" G	1" G	20	350	400	Hydraulic Oil
2	1" G	1" G	20	350	400	Hydraulic Oil
3	3/4" G	3/4" G	15	350	400	Hydraulic Oil
4	1/2" G	1/2" G	12	350	400	Hydraulic Oil



POS.	STATORE stator	ROTORE rotor	DN [mm]	PRESSIONE LAVORO [bar] working pressure [bar]	PRESSIONE MAX [bar] max pressure [bar]	FLUIDO fluid
1	1" 1/4 G	1" 1/4 G	30	350	400	Hydraulic Oil
2	1" 1/4 G	1" 1/4 G	30	350	400	Hydraulic Oil
3	1" G	1" G	20	350	400	Hydraulic Oil
4	3/4" G	3/4" G	18	350	400	Hydraulic Oil